

# SINKS, FAUCETS & ACCESSORIES



# REVERE®. ROCK SOLID.

For over 40 years, Revere sinks have provided the wholesale and fabricator market a competitive edge. Today, we offer you an economical selection of popular sink sizes, finishes, materials and bowl shapes, in both top mount and undermount styles for kitchen and lavatory applications, as well as complementary sink accessories and now faucets. Revere customers are supported with US-based sales and service, and many of the sinks are domestically produced. Revere is the wholesaler's and fabricator's rock solid choice.



## UNDERMOUNTS *BY REVERE*

Pages 3-6

From contemporary to traditional, a wonderful selection for today's solid surface countertop materials. This line is designed and priced to offer outstanding value.



## CARRINGTON™ *BY REVERE*

Page 7

To stimulate creativity in kitchen design, this series offers an outstanding finish and many special features.



## PURITAN™ *BY REVERE*

Pages 8-9


Durable, functional and reasonably priced stainless steel sinks.



## KITCHEN QUEEN™ *BY REVERE*

Page 10

Made to satisfy the demand for good quality, economically priced stainless steel sinks.



## REVERE GRANITE

Pages 11-13

Molded from up to 85% natural quartz and high performance acrylic resins, this series has the look and feel of authentic stone but it's non-porous surface prevents stains, is hygienic and easy to clean.



## LAVATORY SINKS

Page 14

Add sophisticated style to your bathroom with a Revere lavatory sink. Select from three different materials and mounting options to fit your décor.



## ACCESSORIES *BY REVERE*

Page 15-16

A wide variety of space saving tools such as bottom grids, cutting boards and drains are available to create a kitchen of convenience.



## FAUCETS

Pages 17-18

Adorn your sink with the style and craftsmanship of a new Elkay faucet. Outward beauty and sophistication are mirrored by inner quality via precision design and engineering.



## INDEX TOP MOUNT CODE GUIDE

Page 19

Shown on front cover:

**RCFU3119R** sink

**LK6000CR** faucet



## UNDERMOUNTS *By REVERE*

Revere sinks enhance the splendor of countertop materials. By creating a fluid, graceful line, a Revere undermount sink complements a countertop while delivering years of outstanding performance.

Do not minimize the beauty of a new countertop by choosing a low-grade sink. Revere sinks are made of 18 gauge stainless steel for superior durability (the lower the gauge number the thicker the steel). The combination of full undercoating and a sound dampening pad absorbs sound, reduces condensation and maintains water temperature. With its graceful lines and satin finish, a Revere undermount sink is an ideal match for all countertop materials. **Remember, an undermount sink will be a permanent installation. Choose wisely!**

### RCFU12FB<sup>†</sup>



Gauge: 18  
Finish: Satin  
Overall Dimensions: 14 <sup>3</sup>/<sub>8</sub>" Diameter  
Bowl: 12" Diameter x 6"  
Drain Opening: 3 <sup>1</sup>/<sub>2</sub>"  
Undercoating: Sound dampening pad with spray undercoating  
Minimum Cabinet Size: 18"

#### Optional Accessories

Drain  
S1

### RCFU1210<sup>†</sup>



Gauge: 18  
Finish: Satin  
Overall Dimensions: 14 <sup>1</sup>/<sub>2</sub>" x 12 <sup>1</sup>/<sub>2</sub>"  
Bowl: 12" x 10" x 6 <sup>1</sup>/<sub>2</sub>"  
Drain Opening: 3 <sup>1</sup>/<sub>2</sub>"  
Undercoating: Sound dampening pad with spray undercoating  
Minimum Cabinet Size: 18"

#### Optional Accessories

Drain  
S1

### RCFU1618<sup>†</sup>



Gauge: 18  
Finish: Satin  
Overall Dimensions: 16 <sup>1</sup>/<sub>2</sub>" x 18 <sup>1</sup>/<sub>4</sub>"  
Bowl: 14" x 15 <sup>3</sup>/<sub>4</sub>" x 8"  
Drain Opening: 3 <sup>1</sup>/<sub>2</sub>"  
Undercoating: Sound dampening pad with spray undercoating  
Minimum Cabinet Size: 21"

#### Optional Accessories

Drain Bottom Grid  
S1 GBG1415SS

**NEW!**

### RCFU2115DFBG

Sink package includes:  
RCFU2115 Sink,  
LK500CR Faucet,  
GBG2115SS Bottom Grid and Drain



Gauge: 18  
Finish: Satin  
Overall Dimensions: 23 <sup>1</sup>/<sub>2</sub>" x 18 <sup>1</sup>/<sub>4</sub>"  
Bowl: 21" x 15 <sup>3</sup>/<sub>4</sub>" x 8"  
Drain Opening: 3 <sup>1</sup>/<sub>2</sub>"  
Undercoating: Sound dampening pad with spray undercoating  
Minimum Cabinet Size: 27"

#### Optional Accessories

Cutting Board  
RCB1516\*

**NEW!**

### RCFU2115DF

Sink package includes:  
RCFU2115 Sink,  
LK1501CR Faucet and Drain



Gauge: 18  
Finish: Satin  
Overall Dimensions: 23 <sup>1</sup>/<sub>2</sub>" x 18 <sup>1</sup>/<sub>4</sub>"  
Bowl: 21" x 15 <sup>3</sup>/<sub>4</sub>" x 8"  
Drain Opening: 3 <sup>1</sup>/<sub>2</sub>"  
Undercoating: Sound dampening pad with spray undercoating  
Minimum Cabinet Size: 27"

#### Optional Accessories

Cutting Board Bottom Grid  
RCB1516\* GBG2115SS

### RCFU2115<sup>†</sup>



Gauge: 18  
Finish: Satin  
Overall Dimensions: 23 <sup>1</sup>/<sub>2</sub>" x 18 <sup>1</sup>/<sub>4</sub>"  
Bowl: 21" x 15 <sup>3</sup>/<sub>4</sub>" x 8"  
Drain Opening: 3 <sup>1</sup>/<sub>2</sub>"  
Undercoating: Sound dampening pad with spray undercoating  
Minimum Cabinet Size: 27"

#### Optional Accessories

Drain Cutting Board Bottom Grid  
S1 RCB1516\* GBG2115SS

\*Sink must be installed with a <sup>1</sup>/<sub>2</sub>" reveal for cutting board to fit properly.

<sup>†</sup>Also available nested 10 units per shipping container as a bulk 10 pack.

All dimensions in inches. To convert to millimeters multiply by 25.4.

# UNDERMOUNTS *By REVERE*



## RCFU2118<sup>†</sup>

Gauge: 18  
 Finish: Satin  
 Overall Dimensions: 23½" x 21⅛"  
 Bowl: 21" x 18⅝" x 8"  
 Drain Opening: 3½"  
 Undercoating: Sound dampening pad with spray undercoating  
 Minimum Cabinet Size: 27"

### Optional Accessories

Drain	Bottom Grid
S1	GOBG2118SS



## RCFU2816<sup>†</sup>

Gauge: 18  
 Finish: Satin  
 Overall Dimensions: 30½" x 18¼"  
 Bowl: 28" x 15¾" x 8"  
 Drain Opening: 3½"  
 Undercoating: Sound dampening pad with spray undercoating  
 Minimum Cabinet Size: 36"

### Optional Accessories

Drain	Bottom Grid
S1	GOBG2816SS



**NEW!**

## RCFU3118DFBG

**Sink package includes:**  
**RCFU3118 Sink, LK5000CR Faucet, GBG1415SS Bottom Grid and 2 Drains**

Gauge: 18  
 Finish: Satin  
 Overall Dimensions: 31¾" x 18¼"  
 Bowl: 14" x 15¾" x 8"  
 Drain Opening: 3½"  
 Undercoating: Sound dampening pad with spray undercoating  
 Minimum Cabinet Size: 36"

### Optional Accessories

Bottom Grid
GOBG1415SS



**NEW!**

## RCFU3118DF

**Sink package includes:**  
**RCFU3118 Sink, LK1501CR Faucet and 2 Drains**

Gauge: 18  
 Finish: Satin  
 Overall Dimensions: 31¾" x 18¼"  
 Bowl: 14" x 15¾" x 8"  
 Drain Opening: 3½"  
 Undercoating: Sound dampening pad with spray undercoating  
 Minimum Cabinet Size: 36"

### Optional Accessories

Bottom Grid
GOBG1415SS



## RCFU3118<sup>†</sup>

Gauge: 18  
 Finish: Satin  
 Overall Dimensions: 31¾" x 18¼"  
 Each Bowl: 14" x 15¾" x 8"  
 Drain Opening: 3½"  
 Undercoating: Sound dampening pad with spray undercoating  
 Minimum Cabinet Size: 36"

### Optional Accessories

Drain	Bottom Grid
S1	GOBG1415SS

\*Sink must be installed with a ½" reveal for cutting board to fit properly.  
 †Also available nested 10 units per shipping container as a bulk 10 pack.



Revere undermounts offer **Quality, Availability** and **Value** for all your application needs. Choose a **Revere Sink Package** for a winning combination!

**NEW!**



**RCFU3119LDFBG**

Sink package includes:  
RCFU3119L Sink,  
LK5000CR Faucet,  
GOBG1617SS Bottom  
Grid and 2 Drains

Gauge: 18  
Finish: Satin  
Overall Dimensions: 31<sup>3</sup>/<sub>4</sub>" x 20"  
Large Bowl: 16" x 17<sup>1</sup>/<sub>2</sub>" x 8"  
Small Bowl: 11<sup>1</sup>/<sub>2</sub>" x 15" x 8"  
Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
Undercoating: Sound dampening pad with  
spray undercoating  
Minimum Cabinet Size: 36"

**Optional Accessories**

Bottom Grid  
GOBG1115SS (Small Bowl)

**NEW!**



**RCFU3119LDF**

Sink package includes:  
RCFU3119L Sink, LK1501CR Faucet and  
2 Drains

Gauge: 18  
Finish: Satin  
Overall Dimensions: 31<sup>3</sup>/<sub>4</sub>" x 20"  
Large Bowl: 16" x 17<sup>1</sup>/<sub>2</sub>" x 8"  
Small Bowl: 11<sup>1</sup>/<sub>2</sub>" x 15" x 8"  
Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
Undercoating: Sound dampening pad with  
spray undercoating  
Minimum Cabinet Size: 36"

**Optional Accessories**

Bottom Grid  
GOBG1115SS (Small Bowl)  
GOBG1617SS (Large Bowl)



**RCFU3119L†**

Gauge: 18  
Finish: Satin  
Overall Dimensions: 31<sup>1</sup>/<sub>4</sub>" x 20"  
Large Bowl: 16" x 17<sup>1</sup>/<sub>2</sub>" x 8"  
Small Bowl: 11<sup>1</sup>/<sub>2</sub>" x 15" x 8"  
Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
Undercoating: Sound dampening  
pad with spray undercoating  
Minimum Cabinet Size: 36"

**Optional Accessories**

Drain	Bottom Grid
S1	GOBG1115SS (Small Bowl) GOBG1617SS (Large Bowl)

**NEW!**



**RCFU3119RDFBG**

Sink package includes:  
RCFU3119L Sink, LK5000CR  
Faucet, GOBG1617SS  
Bottom Grid and 2 Drains

Gauge: 18  
Finish: Satin  
Overall Dimensions: 31<sup>3</sup>/<sub>4</sub>" x 20"  
Large Bowl: 16" x 17<sup>1</sup>/<sub>2</sub>" x 8"  
Small Bowl: 11<sup>1</sup>/<sub>2</sub>" x 15" x 8"  
Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
Undercoating: Sound dampening pad with  
spray undercoating  
Minimum Cabinet Size: 36"

**Optional Accessories**

Bottom Grid  
GOBG1115SS (Small Bowl)

**NEW!**



**RCFU3119RDF**

Sink package includes:  
RCFU3119R Sink, LK1501CR Faucet and  
2 Drains

Gauge: 18  
Finish: Satin  
Overall Dimensions: 31<sup>3</sup>/<sub>4</sub>" x 20"  
Large Bowl: 16" x 17<sup>1</sup>/<sub>2</sub>" x 8"  
Small Bowl: 11<sup>1</sup>/<sub>2</sub>" x 15" x 8"  
Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
Undercoating: Sound dampening pad with  
spray undercoating  
Minimum Cabinet Size: 36"

**Optional Accessories**

Bottom Grid  
GOBG1115SS (Small Bowl)  
GOBG1617SS (Large Bowl)



**RCFU3119R†**

Gauge: 18  
Finish: Satin  
Overall Dimensions: 31<sup>1</sup>/<sub>4</sub>" x 20"  
Large Bowl: 16" x 17<sup>1</sup>/<sub>2</sub>" x 8"  
Small Bowl: 11<sup>1</sup>/<sub>2</sub>" x 15" x 8"  
Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
Undercoating: Sound dampening  
pad with spray undercoating  
Minimum Cabinet Size: 36"

**Optional Accessories**

Drain	Bottom Grid
S1	GOBG1115SS (Small Bowl) GOBG1617SS (Large Bowl)

# UNDERMOUNTS *By REVERE*

From contemporary to traditional, a wonderful selection for today's solid surface countertop materials. This line is designed and priced to offer outstanding value.



**NEW!**

## RCFU312010LDFBG

Sink package includes:  
RCFU312010L Sink,  
LK5000CR Faucet,  
GBG1318SS Bottom  
Grid and 2 Drains

Gauge: 18  
Finish: Satin  
Overall Dimensions:  
31 $\frac{1}{4}$ " x 20 $\frac{1}{2}$ "  
Large Bowl:  
13 $\frac{1}{2}$ " x 18" x 10"  
Small Bowl:  
14" x 15 $\frac{3}{4}$ " x 8"  
Drain Opening: 3 $\frac{1}{2}$ "  
Undercoating: Sound dampening pad with  
spray undercoating  
Minimum Cabinet Size: 36"

### Optional Accessories

Bottom Grid  
GBG1415SS (Small Bowl)



**NEW!**

## RCFU312010LDF

Sink package includes:  
RCFU312010L Sink, LK1501CR Faucet  
and 2 Drains

Gauge: 18  
Finish: Satin  
Overall Dimensions: 31 $\frac{1}{4}$ " x 20 $\frac{1}{2}$ "  
Large Bowl: 13 $\frac{1}{2}$ " x 18" x 10"  
Small Bowl: 14" x 15 $\frac{3}{4}$ " x 8"  
Drain Opening: 3 $\frac{1}{2}$ "  
Undercoating: Sound dampening pad with  
spray undercoating  
Minimum Cabinet Size: 36"

### Optional Accessories

Bottom Grid  
GBG1415SS (Small Bowl)  
GBG1318SS (Large Bowl)



## RCFU312010L†

Gauge: 18  
Finish: Satin  
Overall Dimensions: 31 $\frac{1}{4}$ " x 20 $\frac{1}{2}$ "  
Large Bowl: 13 $\frac{1}{2}$ " x 18" x 10"  
Small Bowl: 14" x 15 $\frac{3}{4}$ " x 8"  
Drain Opening: 3 $\frac{1}{2}$ "  
Undercoating: Sound dampening  
pad with spray undercoating  
Minimum Cabinet Size: 36"

### Optional Accessories

Drain	Bottom Grid
S1	GBG1415SS (Small Bowl) GBG1318SS (Large Bowl)

**NEW!**

## RCFU312010RDFBG

Sink package includes:  
RCFU312010R Sink,  
LK5000CR Faucet,  
GBG1318SS  
Bottom Grid  
and 2 Drains

Gauge: 18  
Finish: Satin  
Overall Dimensions:  
31 $\frac{1}{4}$ " x 20 $\frac{1}{2}$ "  
Large Bowl:  
13 $\frac{1}{2}$ " x 18" x 10"  
Small Bowl:  
14" x 15 $\frac{3}{4}$ " x 8"  
Drain Opening: 3 $\frac{1}{2}$ "  
Undercoating: Sound dampening pad with  
spray undercoating  
Minimum Cabinet Size: 36"

### Optional Accessories

Bottom Grid  
GBG1415SS (Small Bowl)



**NEW!**

## RCFU312010RDF

Sink package includes:  
RCFU312010R Sink,  
LK1501CR  
Faucet and  
2 Drains

Gauge: 18  
Finish: Satin  
Overall Dimensions:  
31 $\frac{1}{4}$ " x 20 $\frac{1}{2}$ "  
Large Bowl: 13 $\frac{1}{2}$ " x 18" x 10"  
Small Bowl: 14" x 15 $\frac{3}{4}$ " x 8"  
Drain Opening: 3 $\frac{1}{2}$ "  
Undercoating: Sound dampening pad with  
spray undercoating  
Minimum Cabinet Size: 36"

### Optional Accessories

Bottom Grid  
GBG1415SS (Small Bowl)  
GBG1318SS (Large Bowl)



## RCFU312010R†

Gauge: 18  
Finish: Satin  
Overall Dimensions: 31 $\frac{1}{4}$ " x 20 $\frac{1}{2}$ "  
Large Bowl: 13 $\frac{1}{2}$ " x 18" x 10"  
Small Bowl: 14" x 15 $\frac{3}{4}$ " x 8"  
Drain Opening: 3 $\frac{1}{2}$ "  
Undercoating: Sound dampening  
pad with spray undercoating  
Minimum Cabinet Size: 36"

### Optional Accessories

Drain	Bottom Grid
S1	GBG1415SS (Small Bowl) GBG1318SS (Large Bowl)

## CARRINGTON *By REVERE*

The Carrington top mount series includes a very broad selection of 20-gauge, nickel-bearing stainless steel sinks. Their outstanding Diamond-Glo finish, extra bowl capacity and special features will stimulate creativity in any kitchen design.



### CLS2522D8DG

Gauge: 20  
 Finish: Diamond-Glo  
 Overall Dimensions: 25" x 22"  
 Bowl: 21" x 15<sup>3</sup>/<sub>4</sub>" x 8"  
 Faucet Holes: 1, 2, MR2, 3, 4 or 5  
 Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
 Undercoating: Fully undercoated  
 Minimum Cabinet Size: 30"

#### Optional Accessories

Drain	Cutting Board	Bottom Grid
S1	RCB1516	GBG2115SS



### CLS2522D7DG

Gauge: 20  
 Finish: Diamond-Glo  
 Overall Dimensions: 25" x 22"  
 Bowl: 21" x 15<sup>3</sup>/<sub>4</sub>" x 7"  
 Faucet Holes: 1, 2, MR2, 3, 4 or 5  
 Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
 Undercoating: Fully undercoated  
 Minimum Cabinet Size: 30"

#### Optional Accessories

Drain	Cutting Board	Bottom Grid
S1	RCB1516	GBG2115SS

## HOSPITALITY SINK

Bring convenience and elegance to your home or office refreshment center with the Carrington hospitality sink. The sink is 7" deep and has Revere's special *Diamond-Glo* finish for years of dependable service.



### CLS1515D7DGL

Gauge: 20  
 Finish: Diamond-Glo  
 Overall Dimensions: 15" x 15"  
 Bowl: 12" x 9<sup>1</sup>/<sub>4</sub>" x 7"  
 Faucet Holes: 1, 2 or 3  
 Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
 Undercoating: Fully undercoated  
 Minimum Cabinet Size: 18"

#### Optional Accessories

Drain
S1



### CLD3322D8DG

Gauge: 20  
 Finish: Diamond-Glo  
 Overall Dimensions: 33" x 22"  
 Each Bowl: 14" x 15<sup>3</sup>/<sub>4</sub>" x 8"  
 Faucet Holes: 1, 2, 3 or 4  
 Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
 Undercoating: Fully undercoated  
 Minimum Cabinet Size: 36"

#### Optional Accessories

Drain	Cutting Board	Bottom Grid
S1	RCB1516	GBG1415SS



### CLD3322D7DG

Gauge: 20  
 Finish: Diamond-Glo  
 Overall Dimensions: 33" x 22"  
 Each Bowl: 14" x 15<sup>3</sup>/<sub>4</sub>" x 7"  
 Faucet Holes: 1, 2, 3 or 4  
 Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
 Undercoating: Fully undercoated  
 Minimum Cabinet Size: 36"

#### Optional Accessories

Drain	Cutting Board	Bottom Grid
S1	RCB1516	GBG1415SS

## PURITAN *By REVERE*

The Puritan top mount series offers quality conscious buyers a wide variety of choices not often found at this price point. All models are made from 300 series quality stainless steel while the sinks feature Revere's soft satin or buffed satin finish. To top off the package, select Puritan models are available in 6½", 7" and 8" depths. Each Puritan series sink includes bottom undercoating that decreases noise and reduces condensation. Puritan – an unusual value at an affordable price.



### PBL52522D8SN

Gauge: 22  
 Finish: Soft Satin  
 Overall Dimensions: 25" x 22"  
 Bowl: 21" x 15¾" x 8"  
 Faucet Holes: 1, 2, 3 or 4  
 Drain Opening: 3½"  
 Undercoating: Spray undercoating  
 Minimum Cabinet Size: 30"

#### Optional Accessories

Drain	Bottom Grid
S1	GBG2115SS



### PBL52522D7SN

Gauge: 22  
 Finish: Buffed Satin  
 Overall Dimensions: 25" x 22"  
 Bowl: 21" x 15¾" x 7"  
 Faucet Holes: 1, 2, 3 or 4  
 Drain Opening: 3½"  
 Undercoating: Spray undercoating  
 Minimum Cabinet Size: 30"

#### Optional Accessories

Drain	Bottom Grid
S1	GBG2115SS



### PBL52522D65SN'

Gauge: 22  
 Finish: Buffed Satin  
 Overall Dimensions: 25" x 22"  
 Bowl: 21" x 15¾" x 6½"  
 Faucet Holes: 1, 2, 3 or 4  
 Drain Opening: 3½"  
 Undercoating: Spray undercoating  
 Minimum Cabinet Size: 30"

#### Optional Accessories

Drain	Bottom Grid
S1	GBG2115SS



### PBL51722D7SN

Gauge: 22  
 Finish: Buffed Satin  
 Overall Dimensions: 17" x 22"  
 Bowl: 14" x 15¾" x 7"  
 Faucet Holes: 3  
 Drain Opening: 3½"  
 Undercoating: Spray undercoating  
 Minimum Cabinet Size: 21"

#### Optional Accessories

Drain	Bottom Grid
S1	GBG1415SS



### PBL51515D55SNL

Gauge: 22  
 Finish: Buffed Satin  
 Overall Dimensions: 15" x 15"  
 Bowl: 12" x 10" x 5½"  
 Faucet Holes: 1, 2 or 3  
 Drain Opening: 3½"  
 Undercoating: Spray undercoating  
 Minimum Cabinet Size: 18"

#### Optional Accessories

Drain
S1



A Value Line with a  
**Wide Selection  
of Choices**



**PBLD3322D8SN**

Gauge: 22  
Finish: Soft Satin  
Overall Dimensions: 33" x 22"  
Each Bowl: 14" x 15<sup>3</sup>/<sub>4</sub>" x 8"  
Faucet Holes: 1, 2, 3 or 4  
Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
Undercoating: Spray undercoating  
Minimum Cabinet Size: 36"

**Optional Accessories**

Drain	Bottom Grid
S1	GBG14155S



**PBLD3322D7SN**

Gauge: 22  
Finish: Buffed Satin  
Overall Dimensions: 33" x 22"  
Each Bowl: 14" x 15<sup>3</sup>/<sub>4</sub>" x 7"  
Faucet Holes: 1, 2, 3 or 4  
Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
Undercoating: Spray undercoating  
Minimum Cabinet Size: 36"

**Optional Accessories**

Drain	Bottom Grid
S1	GBG14155S



**PBLD3322D65SN\***

Gauge: 22  
Finish: Buffed Satin  
Overall Dimensions: 33" x 22"  
Each Bowl: 14" x 15<sup>3</sup>/<sub>4</sub>" x 6<sup>1</sup>/<sub>2</sub>"  
Faucet Holes: 1, 2, 3 or 4  
Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
Undercoating: Spray undercoating  
Minimum Cabinet Size: 36"

**Optional Accessories**

Drain	Bottom Grid
S1	GBG14155S



**NEW!**

**FH3319D8SN\*\***

Gauge: 20  
Finish: Soft Satin  
Overall Dimensions: 33" x 19"  
Each Bowl: 14" x 14" x 8"  
Faucet Holes: 1, 2, 3 or 4  
Drain Opening: 3-1/2"  
Undercoating: Spray undercoating  
Minimum Cabinet Size: 36"

**Optional Accessories**

Drain	Bottom Grid
S1	GBG14145S



**NEW!**

**FH3319D7SN\*\*\***

Gauge: 20  
Finish: Buffed Satin  
Overall Dimensions: 33" x 19"  
Each Bowl: 14" x 14" x 7"  
Faucet Holes: 1, 2, 3 or 4  
Drain Opening: 3-1/2"  
Undercoating: Spray undercoating  
Minimum Cabinet Size: 36"

**Optional Accessories**

Drain	Bottom Grid
S1	GBG14145S

\*Also available nested 50 units per shipping container as a bulk 50 pack.  
\*\*Also available nested 12 units per shipping container as a bulk 12 pack.  
\*\*\*Also available nested 18 units per shipping container as a bulk 18 pack.

## KITCHEN QUEEN *By REVERE*

Revere offers the Kitchen Queen top mount series to satisfy the need for good dependable quality at an economical price. The Kitchen Queen line is fabricated from 300 series nickel-bearing stainless steel. The sinks feature a buffed satin finish and have undercoating applied to bottom to dampen sound and reduce condensation.



### KQ2522D6PB<sup>†</sup>

Gauge: 23  
 Finish: Buffed Satin  
 Overall Dimensions: 25" x 22"  
 Bowl: 21" x 15<sup>3</sup>/<sub>4</sub>" x 6"  
 Faucet Holes: 1, 2, 3 or 4  
 Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
 Undercoating: Spray undercoating  
 Minimum Cabinet Size: 30"

#### Optional Accessories

Drain	Bottom Grid
S1	GBG2115SS



### KQ3322D6PB<sup>†</sup>

Gauge: 23  
 Finish: Buffed Satin  
 Overall Dimensions: 33" x 22"  
 Each Bowl: 14" x 15<sup>3</sup>/<sub>4</sub>" x 6"  
 Faucet Holes: 1, 2, 3 or 4  
 Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
 Undercoating: Spray undercoating  
 Minimum Cabinet Size: 36"

#### Optional Accessories

Drain	Bottom Grid
S1	GBG1415SS



**NEW!**

### FH3319D6SB<sup>†</sup>

Gauge: 23  
 Finish: Buffed Satin  
 Overall Dimensions: 33" x 19"  
 Each Bowl: 14" x 14" x 6"  
 Faucet Holes: 1, 2, 3 or 4  
 Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
 Undercoating: Spray undercoating  
 Minimum Cabinet Size: 36"

#### Optional Accessories

Drain	Bottom Grid
S1	GBG1414SS



### KQ1722D6PB

Gauge: 23  
 Finish: Buffed Satin  
 Overall Dimensions: 17" x 22"  
 Bowl: 14" x 15<sup>3</sup>/<sub>4</sub>" x 6"  
 Faucet Holes: 3  
 Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
 Undercoating: Spray undercoating  
 Minimum Cabinet Size: 21"

#### Optional Accessories

Drain	Bottom Grid
S1	GBG1415SS



### KQ1515D5BFS1

Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
**Sink package includes:**  
**KQ1515D5PBL Hospitality Sink, LKA2475LF Faucet and S1 Drain**

### KQ1515D5BFS2

Drain Opening: 2"  
**Sink package includes:**  
**KQ1515D5PBS Hospitality Sink, LKA2475LF Faucet and S2 Drain**

### KQ1515D5PBL

Drain Opening: 3<sup>1</sup>/<sub>2</sub>"

### KQ1515D5PBS

Drain Opening: 2"

Gauge: 23  
 Finish: Buffed Satin  
 Overall Dimensions: 15" x 15"  
 Bowl: 12" x 10" x 5"  
 Faucet Holes: 1, 2 or 3  
 Undercoating: Spray undercoating  
 Minimum Cabinet Size: 18"

#### Optional Accessories

Drain	
S1 (KQ1515D5PBL)	S2 (KQ1515D5PBS)

## REVERE GRANITE

Revere Granite sink models are an attractive, non-porous and stain resistant addition to any kitchen. These granite sinks are hard enough to stand up to everyday scratches and chips, and are naturally heat resistant up to 550 degrees of direct contact. The white, black, bisque and brown colors are molded into the granite and resin mix, so every sink's color is deep, rich and authentic.



Molded from up to **85% Natural Quartz** and **High Performance acrylic resins**.



## DURABILITY

Revere Granite sinks feature extreme heat resistance – hot pots and grimy cookware are no match. With the feel of authentic stone, they are hard enough to resist scratches and chips, but resilient enough to reduce breakage of glassware and fine dinnerware, unlike cast iron sinks. Each sink is naturally resistant to ultra-violet rays, eliminating color-fading for a lifetime of enjoyment.



### RVGU250RBQ Undermount

Overall Dimensions: 33" x 20½"  
 Large Bowl: 15½" x 18½" x 9½"  
 Small Bowl: 15¼" x 16½" x 9½"  
 Drain Opening: 3½"  
 Minimum Cabinet Size: 36"

#### Optional Accessories

Drain

S1	RVD35	RVS35
----	-------	-------

Finishes:

(BK) Black, (BQ) Bisque, (BR) Brown, (WH) White



### RVGU3322BR Undermount

Overall Dimensions: 33" x 18½"  
 Each Bowl: 15½" x 16¾" x 9½"  
 Drain Opening: 3½"  
 Minimum Cabinet Size: 36"

#### Optional Accessories

Drain

S1	RVD35	RVS35
----	-------	-------

Finishes:

(BK) Black, (BQ) Bisque, (BR) Brown, (WH) White



### RVGU2522BQ Undermount

Overall Dimensions: 25" x 18½"  
 Bowl: 22¾" x 16¾" x 9½"  
 Drain Opening: 3½"  
 Minimum Cabinet Size: 30"

#### Optional Accessories

Drain

S1	RVD35	RVS35
----	-------	-------

Finishes:

(BK) Black, (BQ) Bisque, (BR) Brown, (WH) White



### RVGULB3322BR Undermount

Overall Dimensions: 33" x 20 1/8"  
 Each Bowl: 15 3/16" x 17 7/8" x 9 1/2"  
 Low Bridge Height: 4"  
 Drain Opening: 3 1/2"  
 Minimum Cabinet Size: 36"

#### Optional Accessories

##### Drain

S1	RVD35	RVS35
----	-------	-------

##### Cutting Board

RVCB1417HW
------------

##### Bottom Grid

RVWOBG1417LSS (Left Bowl)	RVWOBG1417RSS (Right Bowl)
---------------------------	----------------------------

##### Finishes:

(BK) Black, (BQ) Bisque, (BR) Brown, (WH) White



### RVGUS3322RBQ Undermount

Overall Dimensions: 33" x 20"  
 Bowl: 30 5/16" x 17 7/8" x 9 1/2"  
 Drain Opening: 3 1/2"  
 Minimum Cabinet Size: 36"

#### Optional Accessories

##### Drain

S1	RVD35	RVS35
----	-------	-------

##### Cutting Board

RVCB1417HW
------------

##### Bottom Grid

RVWOBG3017RSS
---------------

##### Finishes:

(BK) Black, (BQ) Bisque, (BR) Brown, (WH) White



### RVGU2218BK Undermount

Reversible design, sink can be rotated so bowl is on the left or right  
 Overall Dimensions: 22" x 14 3/4"  
 Bowl: 12 5/8" x 12" x 8"  
 Drain Opening: 3 1/2"  
 Minimum Cabinet Size: 27"

#### Optional Accessories

##### Drain

S1	RVD35	RVS35
----	-------	-------

##### Cutting Board

RVCB1312HW
------------

##### Bottom Grid

RVWBG1312SS
-------------

##### Finishes:

(BK) Black, (BQ) Bisque, (BR) Brown, (WH) White



### RVG250RWH Top Mount

Overall Dimensions: 33" x 22"  
 Large Bowl: 15 1/8" x 18 1/8" x 9 1/2"  
 Small Bowl: 15 1/4" x 16 1/8" x 9 1/2"  
 Faucet Holes: 4 Prescored  
 Drain Opening: 3 1/2"  
 Minimum Cabinet Size: 36"

#### Optional Accessories

##### Drain

S1	RVD35	RVS35
----	-------	-------

##### Finishes:

(BK) Black, (BQ) Bisque, (BR) Brown, (WH) White



### RVG3322BK Top Mount

Overall Dimensions: 33" x 22"  
 Each Bowl: 15 1/8" x 16 3/8" x 9 1/2"  
 Faucet Holes: 4 Prescored  
 Drain Opening: 3 1/2"  
 Minimum Cabinet Size: 36"

#### Optional Accessories

##### Drain

S1	RVD35	RVS35
----	-------	-------

##### Finishes:

(BK) Black, (BQ) Bisque, (BR) Brown, (WH) White



### RVG2522WH Top Mount

Overall Dimensions: 25" x 22"  
 Large Bowl: 22 3/8" x 16 3/8" x 9 1/2"  
 Faucet Holes: 4 Prescored  
 Drain Opening: 3 1/2"  
 Minimum Cabinet Size: 30"

#### Optional Accessories

##### Drain

S1	RVD35	RVS35
----	-------	-------

##### Finishes:

(BK) Black, (BQ) Bisque, (BR) Brown, (WH) White



## EASY FAUCET INSTALLATION

With pre-scored faucet holes, faucet installation is easy.



### RVGLB3322BR Top Mount

Overall Dimensions: 33" x 22"  
 Each Bowl: 15<sup>3</sup>/<sub>16</sub>" x 17<sup>7</sup>/<sub>8</sub>" x 9<sup>1</sup>/<sub>2</sub>"  
 Low Bridge Height: 4"  
 Faucet Holes: 5 Prescored  
 Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
 Minimum Cabinet Size: 36"

#### Optional Accessories

##### Drain

S1	RVD35	RVS35
----	-------	-------

##### Cutting Board

RVCB1417HW	Bottom Grid
------------	-------------

##### Bottom Grid

RVWOBG1417LSS (Left Bowl)	RVWOBG1417RSS (Right Bowl)
---------------------------	----------------------------

##### Finishes:

(BK) Black, (BQ) Bisque, (BR) Brown, (WH) White



### RVGS3322RBQ Top Mount

Overall Dimensions: 33" x 22"  
 Bowl: 30<sup>5</sup>/<sub>16</sub>" x 17<sup>7</sup>/<sub>8</sub>" x 9<sup>1</sup>/<sub>2</sub>"  
 Faucet Holes: 5 Prescored  
 Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
 Minimum Cabinet Size: 36"

#### Optional Accessories

##### Drain

S1	RVD35	RVS35
----	-------	-------

##### Cutting Board

RVCB1417HW	Bottom Grid
------------	-------------

##### Bottom Grid

RVWOBG3017RSS
---------------

##### Finishes:

(BK) Black, (BQ) Bisque, (BR) Brown, (WH) White



### RVG2218LBK Top Mount

Overall Dimensions: 22" x 18"  
 Bowl: 12<sup>5</sup>/<sub>8</sub>" x 12" x 8"  
 Faucet Holes: 4 Prescored  
 Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
 Minimum Cabinet Size: 27"

#### Optional Accessories

##### Drain

S1	RVD35	RVS35
----	-------	-------

##### Cutting Board

RVCB1312HW	Bottom Grid
------------	-------------

##### Bottom Grid

RVWBG1312SS
-------------

##### Finishes:

(BK) Black, (BQ) Bisque, (BR) Brown, (WH) White



### RVG1515BK Universal Mount

Overall Dimensions: 15<sup>3</sup>/<sub>4</sub>" x 15<sup>3</sup>/<sub>4</sub>"  
 Bowl: 13" x 13" x 8"  
 Drain Opening: 3<sup>1</sup>/<sub>2</sub>"  
 Minimum Cabinet Size: 21"

#### Optional Accessories

##### Drain

S1	RVD35	RVS35
----	-------	-------

##### Finishes:

(BK) Black, (BQ) Bisque, (BR) Brown, (WH) White



(BK) Black



(BR) Brown



(BQ) Bisque



(WH) White

## REVERE LAVATORY SINKS

Add sophisticated style to your bathroom with a Revere lavatory sink. Select from three different materials and mounting options to fit your décor.



## POPULAR CHOICES

REVERE LAVATORY SINKS COME IN THREE MATERIALS:

Vitreous China  
Stainless Steel  
Natural Glass



### NVC1714BC Undermount

Vitreous China  
Includes overflow assembly  
Overall Dimensions: 19 $\frac{1}{4}$ " x 16 $\frac{1}{8}$ "  
Bowl: 17 $\frac{1}{4}$ " x 14 $\frac{1}{8}$ "  
Drain Opening: 1 $\frac{3}{4}$ "  
Minimum Cabinet Size: 24"

Finishes:  
(BC) Biscuit, (WH) White



### NVC1512WH Undermount

Vitreous China  
Includes overflow assembly  
Overall Dimensions: 17 $\frac{1}{8}$ " x 13 $\frac{7}{8}$ "  
Bowl: 15 $\frac{3}{8}$ " x 12 $\frac{1}{8}$ "  
Drain Opening: 1 $\frac{3}{4}$ "  
Minimum Cabinet Size: 21"

Finishes:  
(BC) Biscuit, (WH) White



### NVC1814BC Undermount

Vitreous China  
Includes overflow assembly  
Overall Dimensions: 20 $\frac{1}{2}$ " x 14 $\frac{3}{8}$ "  
Bowl: 18 $\frac{1}{2}$ " x 12 $\frac{3}{8}$ "  
Drain Opening: 1 $\frac{3}{4}$ "  
Minimum Cabinet Size: 24"

Finishes:  
(BC) Biscuit, (WH) White



### NLF1916B Undermount

20 Gauge Stainless Steel  
Overall Dimensions: 19 $\frac{1}{4}$ " x 16 $\frac{1}{4}$ "  
Bowl: 17 $\frac{1}{4}$ " x 14 $\frac{1}{4}$ "  
Drain Opening: 1 $\frac{3}{4}$ "  
Minimum Cabinet Size: 24"

Finishes:  
(B) Brushed, (M) Mirror



### NGLV17 Above Counter

Tempered 12mm Natural Glass  
Overall Dimensions: 17" diameter  
Drain Opening: 1 $\frac{3}{4}$ "



Biscuit



White



Brushed



Mirror



## ACCESSORIES *By REVERE*

Accessories from Revere can make your kitchen a place you'll love to work. With our wide selection of space-saving, time-saving tools, you can add real function to your workplace. Choose from a variety of bottom grids, cutting boards and drains. Whatever you need, we can help you create a kitchen that abounds with convenience.

Accessories for Today's  
Hard-Working Cook

### CUTTING BOARDS

Durable hardwood cutting board is designed to appeal to your sense of style as well as your need for convenience.



**RCB1516**  
Fits select sinks with inside bowl dimensions of 14" x 15<sup>3</sup>/<sub>4</sub>" or 21" x 15<sup>3</sup>/<sub>4</sub>"

*Only fits undermount sinks that have a 1/2" reveal*




**RVCB1312HW**  
Fits sinks with inside bowl dimensions of 12<sup>5</sup>/<sub>8</sub>" x 12"




**RVCB1417HW**  
Fits sinks with inside bowl dimensions of 15<sup>3</sup>/<sub>16</sub>" x 17<sup>3</sup>/<sub>4</sub>" or 30<sup>1</sup>/<sub>4</sub>" x 17<sup>3</sup>/<sub>4</sub>"

### BOTTOM GRIDS

Stainless steel wire bottom grids that protect the bottom of your Revere sink.




**NEW!**  
**GBG1318SS**  
Fits select sinks with inside bowl dimensions of 13<sup>1</sup>/<sub>2</sub>" x 18"




**NEW!**  
**GBG1414SS**  
Fits select sinks with inside bowl dimensions of 14" x 14"




**NEW!**  
**GBG1415SS**  
Fits select sinks with inside bowl dimensions of 14" x 15<sup>3</sup>/<sub>4</sub>"




**NEW!**  
**GBG2115SS**  
Fits select sinks with inside bowl dimensions of 21" x 15<sup>3</sup>/<sub>4</sub>"




**NEW!**  
**GBG2816SS**  
Fits select sinks with inside bowl dimensions of 28" x 15<sup>3</sup>/<sub>4</sub>"



**NEW!**  
**GOBG1115SS**  
Fits select sinks with inside bowl dimensions of 11<sup>1</sup>/<sub>2</sub>" x 15"




**NEW!**  
**GOBG1617SS**  
Fits select sinks with inside bowl dimensions of 16" x 17<sup>1</sup>/<sub>2</sub>"



**RVWBG1312SS**  
Fits sinks with inside bowl dimensions of 12<sup>5</sup>/<sub>8</sub>" x 12"



**RVWOBG1417RSS (Shown)**  
**RVWOBG1417LSS**  
Fits sinks with inside bowl dimensions of 15<sup>3</sup>/<sub>16</sub>" x 17<sup>3</sup>/<sub>4</sub>"



**RVWOBG3017RSS**  
Fits sinks with inside bowl dimensions of 30<sup>1</sup>/<sub>4</sub>" x 17<sup>3</sup>/<sub>4</sub>"



## DRAINS/STRAINERS



**S1**  
3½" Drain Opening



**S2**  
2" Drain Opening



**RVD35**  
3½" Drain Opening

Finishes:  
(BK) Black, (BQ) Bisque,  
(BR) Brown, (WH) White



**RVS35**  
3½" Drain Opening


Finishes:  
(BK) Black, (BQ) Bisque,  
(BR) Brown, (WH) White

## INSTALLATION ACCESSORIES

**LK350 (Shown)**  
**LK352** (set of 3)  
Installation screwdriver,  
extra long shank



**LK363**  
Set of 14 extra  
long screws  
and clips for top  
mount installa-  
tion of U-channel  
models; for  
countertops up  
to 1½" thick



**LK364**  
Set of 14 extra long  
screws for top mount  
installation of U-channel  
models; for countertops  
up to 1½" thick




**LK463**  
3 sets of 14 hex  
head screws, 28 hex  
nuts and 1 set of  
clips for top  
mount installation  
of U-channel models;  
for countertops up to  
2½" thick



**RVUCLIP8** (package of 8 clips)  
Clips designed to attach  
undermount sinks to  
a solid surface  
countertop



**RVUMSK25 (Shown)**  
**RVUMSK36**  
Undermount support  
kit designed to support  
sinks from the cabinet  
walls; 25" or 36" lengths  
can be cut to desired length



## FAUCETS

Adorn your sink with the style and craftsmanship of a new Elkay faucet. Outward beauty and sophistication are mirrored by inner quality via precision design and engineering that make this highly stylized collection uniquely Revere.



**NEW!**



**LK4000LS**  
**LK4000CR**

Pull-out, 2-Function Spray, Kitchen  
Max. countertop thickness: 2½"  
1 or 3 hole installation  
Finishes:  
(CR) Chrome, (LS) Lustrous Steel

**NEW!**



**LK5000CR**  
**LK5000LS**

Pull-out, 2-Function Spray, Kitchen  
Max. countertop thickness: 2½"  
1 or 3 hole installation  
Finishes:  
(CR) Chrome, (LS) Lustrous Steel

**NEW!**



**LK6000CR**  
**LK6000LS**

Pull-down,  
3-Function Spray, Kitchen  
Max. countertop thickness: 2½"  
1 or 3 hole installation  
Finishes:  
(CR) Chrome, (LS) Lustrous Steel

**NEW!**



**LK1001CR**

**LK1000CR** without side spray  
Single-lever, Kitchen  
Max. countertop thickness: 2½"  
4 hole installation (LK1001)  
3 hole installation (LK1000)  
Finish:  
(CR) Chrome

**NEW!**



**LK1501CR**

**LK1500CR** without side spray  
Single-lever, Kitchen  
Max. countertop thickness: 2½"  
2 hole installation (LK1501)  
1 hole installation (LK1500)  
Finish:  
(CR) Chrome

**NEW!**



**LK3001CR**

**LK3000CR** without side spray  
Remote Handle, Kitchen  
Max. countertop thickness: 2½"  
3 hole installation (LK3001)  
2 hole installation (LK3000)  
Finish:  
(CR) Chrome



(CR) Chrome



(LS) Lustrous Steel

# FAUCETS

Pair your Elkay faucet with a soap/lotion dispenser.



**NEW!**

**LK2477CR**

Two-handle, Bar/prep

Max. countertop thickness: 1 1/8" (2 1/2" extension kit: LK115)

2 hole installation

Finish: (CR) Chrome



**LKA2475LF**

Two-handle, Bar/prep

Max. countertop thickness: 7/8" (2 1/2" extension kit: LK115)

2 hole installation on 4" centers

Finish: (CR) Chrome



**NEW!**

**LK2500CR**

Flexible Spout, 2-Function Spray Laundry/Utility/Kitchen

Max. countertop thickness: 2 1/2" (2 1/2" extension kit: LK115)

1 hole installation

Finish: (CR) Chrome



**NEW!**

**LK2000CR**

Two-handle Laundry

Max. countertop thickness: 1 1/8" (2 1/2" extension kit: LK115)

2 hole installation

Finish: (CR) Chrome

## SOAP/LOTION DISPENSERS

**NEW!**

**LK315LS**  
**LK315CR**

Finishes: (CR) Chrome, (LS) Lustrous Steel



**NEW!**

**LK320CR**  
**LK320LS**

Finishes: (CR) Chrome, (LS) Lustrous Steel



## AIR GAP

**NEW!**

**LK105CR**  
**LK105LS**

Universal design fits many faucet styles  
Finishes: (CR) Chrome, (LS) Lustrous Steel



# TOP MOUNT SINK MODELS CODE GUIDE FOR STAINLESS STEEL SINKS

SERIES	BOWL TYPE	DEPTH	FINISH
CL-Carrington	S-Single	D5 = 5"	DG-Diamond-Glo
PBL-Puritan	D-Double	D55 = 5½"	SN-Soft Satin or Buffed Satin
FH-Puritan or Kitchen Queen		D6 = 6"	PB-Buffed Satin
KQ-Kitchen Queen		D65 = 6½"	
		D7 = 7"	
		D8 = 8"	

## INDEX

### Undermounts

Model	Page
RCFU12FB	3
RCFU1210	3
RCFU1618	3
RCFU2115	3
RCFU2115DF	3
RCFU2115DFBG	3
RCFU2118	4
RCFU2816	4
RCFU3118	4
RCFU3118DF	4
RCFU3118DFBG	4
RCFU3119L	5
RCFU3119LDF	5
RCFU3119LDFBG	5
RCFU3119R	5
RCFU3119RDF	5
RCFU3119RDFBG	5
RCFU312010L	6
RCFU312010LDF	6
RCFU312010LDFBG	6
RCFU312010R	6
RCFU312010RDF	6
RCFU312010RDFBG	6

### Carrington

CLD3322D7DG	7
CLD3322D8DG	7
CLS1515D7DGL	7
CLS2522D7DG	7
CLS2522D8DG	7

### Puritan

FH3319D7SN	9
FH3319D8SN	9
PBLD3322D65SN	9
PBLD3322D7SN	9
PBLD3322D8SN	9
PBLS1515D55SNL	8
PBLS1722D7SN	8
PBLS2522D65SN	8
PBLS2522D7SN	8
PBLS2522D8SN	8

### Kitchen Queen

Model	Page
FH3319D6SB	10
KQ1515D5BFS1	10
KQ1515D5BFS2	10
KQ1515D5PBL	10
KQ1515D5PBS	10
KQ1722D6PB	10
KQ2522D6PB	10
KQ3322D6PB	10

### Granite

RVG1515	13
RVG2218L	13
RVG250R	12
RVG2522	12
RVG3322	12
RVGLB3322	13
RVGS3322R	13
RVGU2218	12
RVGU250R	11
RVGU2522	11
RVGU3322	11
RVGULB3322	12
RVGUS3322R	12

### Lavatory Sinks

NLF1916	14
NGLV17	14
NVC1512	14
NVC1714	14
NVC1814	14

### Accessories

GBG1318SS	15
GBG1414SS	15
GBG1415SS	15
GBG2115SS	15
GBG2816SS	15
GOBG1115SS	15
GOBG1617SS	15
GOBG2118SS	15
LK350	16
LK352	16
LK363	16

### Accessories - cont.

Model	Page
LK364	16
LK463	16
RCB1516	15
RVCB1312HW	15
RVCB1417HW	15
RVD35	16
RVS35	16
RVUCLIP8	16
RVUMSK25	16
RVUMSK36	16
RVWBG1312SS	15
RVWOBG1417LSS	15
RVWOBG1417RSS	15
RVWOBG3017RSS	15
S1	16
S2	16

### Faucets

LK1000	17
LK1001	17
LK105	18
LK1500	17
LK1501	17
LK2000	18
LK2477	18
LK2500	18
LK3000	17
LK3001	17
LK315	18
LK320	18
LK4000	17
LK5000	17
LK6000	17
LKA2475LF	18



## Limited Warranty – Sinks

Revere Stainless Steel Sinks are warranted against defects in material and workmanship to the original purchaser for a period as noted below for each model from the original purchase date based on normal use and care. Please refer to Revere's Limited Warranty enclosed in each Revere sink for specific details.

Carrington by Revere – Lifetime

Revere Granite – Lifetime

Undermounts by Revere – 1 Year

Puritan by Revere – 1 Year

Kitchen Queen by Revere – 1 Year

Lavatory Sinks – Limited Lifetime

## Limited Warranty – Faucets

Elkay warrants that all parts and finishes of Elkay faucets are free from defects in materials and workmanship for the life of the product, if purchased after 1996. This warranty covers the original consumer purchaser of the product only. If the product should leak or drip during normal use, Elkay will provide, free of charge, a replacement cartridge. For other defects in material or workmanship, Elkay will, at its option, supply replacement parts (or if no longer available a comparable product). Elkay reserves the right to examine product in question and its installation prior to replacement.

Refer to product specification sheets at [www.reveresink.com](http://www.reveresink.com) for further warranty information.



Revere  
2222 Camden Court  
Oak Brook, IL 60523  
800.225.8585  
FAX 630.645.4447  
[reveresink.com](http://reveresink.com)